

## TeleControl Serie 21 , 2 Botones , 1 Velocidad, Alcance 100Mts 110~380V

### Características Esenciales


- 1 Años de Garantía, Partes y Servicios Disponibles en América



## Especificaciones Técnicas

<b>Codigo FCC</b>	OFNF21	<b>Rango de Frecuencia</b>	VHF: 310~331 MHz; UHF: 425 ~ 446 MHz
<b>Fuente de Alimentación del Transmisor</b>	2 AA batteries	<b>Parada de Emergencia</b>	No
<b>Material</b>	Glass-Fiber PA	<b>Rango de temperatura de Trabajo</b>	-40 ~ 185 °F / -40 ~ 85°C
<b>Distancia de Control</b>	Up to 180 ft	<b>Normas</b>	FCC and OSHA standard 1910.179
<b>Código de Seguridad</b>	32 bits (4.3 billion)	<b>Garantía</b>	1 Year
<b>Potencia del Transmisor</b>	≤10dBm		

**F21-2S/2D TRANSMITTER**  
Small, economical, convenient



**MODEL:** F21-2S-TX  
**ITEM CODE:** 921-002-001  
**Dimensions:** 132 x 45 x 28 mm  
**Weight:** 98g (without batteries)

- Product Features:**
- Two single/double speed buttons, one "STOP"
  - 6 control contactors.
  - With battery voltage warning device, the power supply is cut off during low power
  - Safety key switch to prevent from unauthorized user.
  - Program the button function by computer interface.
  - Up/Down can be programmed to interlock or non-interlock.
  - The spare button can be programmed to start, toggle or normal, etc.

- Standard Configuration:**
- One transmitter (with hanging belt)
  - One dust bag
  - One receiver
  - Receiver with 1.6 meter cable
  - Battery: One pair
  - One receiver antenna.
  - Operation and maintenance manual.

**Safety features:**  
Each radio remote control system functions in all manner of operational conditions equipped with their own unique identity code (ID-Code). This means that only the correct control unit can activate and control its matching receiver (crane/machine) for maximum safety. The system is FCC and CE certicates.



**Peso & Dimensiones**

**Peso Total** 2 lbs / 1 Kg

**Detalles del Empaque**

**Paquete 1 Peso Neto** 2 lbs / 1 Kg

**Paquete 1 Ancho** 7 in / 17.78 cm

**Paquete 1 Peso Bruto** 2 lbs / 1 Kg

**Paquete 1 Altura** 3 in / 7.62 cm

**Paquete 1 Profundidad** 9 in / 22.86 cm

Referential Images / Imágenes Referenciales  
Specifications may change without notice / las especificaciones pueden cambiar sin previo aviso