

2 Ton Top Running Motorized End Trucks Single Girder up to 57ft Span 220/440V 3P




Características Esenciales

- For heavy-duty class “C” single girder crane applications
- Drives and brakes are compatible with Variable Frequency Drive (VFD)
- Suitable for use on ASCE crane rail or square bar
- 3 Años de Garantía, Partes y Servicios Disponibles en América

For heavy-duty class “C” single girder crane applications, Top running motorized end trucks. Include 2 trucks; 2 gear motors with D.C. brakes, rubber bumpers. All trucks are fully painted. Runway Rail ASCE # 30

Especificaciones Técnicas

| | | | |
|------------------------------|-----------------------------------|----------------------------------|---|
| Capacidad de Carga | 2 Ton | Freno Motor | Yes |
| Velocidad /min | 66 ft | Protección IEC Motor | IP54 |
| Numero de Velocidades | 1 Speed - Optional Variable Speed | Variador de Frecuencia | Optional 1.1 Kw |
| Voltaje | 3 Phase 220~240/440~480V 60Hz | Freno Dinámico | Only with VFD Optional |
| Potencia Total Watts | 0.25 x 2 | Control | Not Included. Optional single Speed, 2 Speed and Variable Speed |
| Luz Maxima | 60 Ft | Rango de ancho de la Viga | Any |
| Material | Steel | Normas | ASME / CMAA / Nch |
| Clase de Servicio | H4/M5/2m/Class D | Garantía | 3 Year |



Peso & Dimensiones

| | |
|-------------------------|------------------|
| Largo de testera | 2500 mm |
| Peso Total | 977 lbs / 444 Kg |

Detalles del Empaque

| | |
|------------------------------|--------------------|
| Paquete 1 Peso Bruto | 977 lbs / 443 Kg |
| Paquete 1 Ancho | 24 in / 60.96 cm |
| Paquete 1 Profundidad | 119 in / 302.26 cm |
| Paquete 1 Altura | 31 in / 78.74 cm |

Referential Images / Imágenes Referenciales
Specifications may change without notice / las especificaciones pueden cambiar sin previo aviso