



## Polipasto Cadena 10 Ton 9 metros con Proteccion de Sobrecarga y cadena G100

### Características Esenciales

- 3 Años de Garantía, Partes y Servicios Disponibles en América

### Prowinch Manual Chain Hoist

All of our **Manual Chain Hoists** are created with the goal of offering the best price-performance ratio. Key components such as lifespan factors are constantly tested and improved in order to offer the best product for the price.

### Overload Protection System

The built-in **overload protection system** helps prevent the operator from accidentally damaging the hoist by lifting a load higher than the rated capacity. When the overload protection is activated while lifting, the hoist will only be able to be lowered by the operator.


### Braking System

The reliable disc brake system is tested at 125% of the hoist capacity.

## Especificaciones Técnicas

<b>Capacidad de Carga</b>	22000 lb / 10000 kg	<b>Caidas de Cadena</b>	4
<b>Altura de Izaje Estandard (Customizable)</b>	30 ft / 9 m	<b>Normas</b>	ANSI/ASME B30.16, EN13157, ISO 16877-2008
<b>Tipo de Cadena</b>	G100	<b>Garantía</b>	3 Year
<b>Dimensiones de la Cadena</b>	Thickness: 10.16 mm		

Model/Modelo	PWV1Tp	PWV2Tp	PWV3Tp	PWV5Tp	PWV10Tp	PWV20Tp
Dimensions	A 5.5 in / 140 mm	6.3 in / 161 mm		7.3 in / 186 mm	8.1 in / 207 mm	8.5 in / 215 mm
Dimensiones	B 6.2 in / 158 mm	7.4 in / 187 mm	7.8 in / 199 mm	10 in / 253 mm	15.7 in / 398 mm	25.6 in / 650 mm
	C 12.5 in / 317 mm	16.3 in / 414 mm	18.3 in / 465 mm	25 in / 636 mm	31.4 in / 798 mm	35 in / 890 mm



## Peso & Dimensiones

<b>Peso Total</b>	299 lbs / 136 Kg
-------------------	------------------

## Detalles del Empaque

<b>Paquete 1 Peso Neto</b>	271 lbs / 123 Kg
<b>Paquete 1 Ancho</b>	19 in / 48.26 cm
<b>Paquete 1 Peso Bruto</b>	299 lbs / 136 Kg
<b>Paquete 1 Altura</b>	26 in / 66.04 cm
<b>Paquete 1 Profundidad</b>	11 in / 27.94 cm

Referential Images / Imágenes Referenciales  
Specifications may change without notice / las especificaciones pueden cambiar sin previo aviso